
Influence of Structural Position on Fracturing in the Austin Chalk

David A. Ferrill, Kevin J. Smart, Ronald N. McGinnis, Alan P. Morris, and Kirk D. H. Gulliver

Southwest Research Institute, 6220 Culebra Rd., San Antonio, Texas 78238, U.S.A.

GCAGS Explore & Discover Article #00253*

http://www.gcags.org/exploreanddiscover/2017/00253_ferrill_et_al.pdf

Posted October 30, 2017.

*Article based on an abstract published in the *GCAGS Transactions* (see footnote reference below), which is available as part of the entire 2017 *GCAGS Transactions* volume via the GCAGS Bookstore at the Bureau of Economic Geology (www.beg.utexas.edu) or as an individual document via AAPG Datapages, Inc. (www.datapages.com), and delivered as an oral presentation at the 67th Annual GCAGS Convention and 64th Annual GCSSEPM Meeting in San Antonio, Texas, November 1–3, 2017.

ABSTRACT

Outcrops of Upper Cretaceous Austin Chalk in south-central Texas (San Antonio area) were investigated to produce a baseline assessment of fracture network characteristics and relationships with respect to regional structural position. This area represents the nearest outcrop exposures of Austin Chalk to significant active drilling in the Eagle Ford Formation and overlying Austin Chalk. These Austin Chalk exposures are within the Balcones Fault System, which is the updip portion of the Gulf of Mexico marginal fault system. In the study area, the fault system consists of a right-stepping en echelon array of generally northeast-striking normal faults, within a major relay structure—the San Antonio relay ramp—between the Haby Crossing Fault to southwest and the Balcones Escarpment Fault to the northeast. Similar extensional fault patterns exist in the subsurface Austin Chalk in the exploration and production area. Reconnaissance field investigations at 36 stations within a ~20 km by 40 km region in the San Antonio area document significant variability in failure modes (extension versus shear failure), fracture orientations, and fracture intensity (or spacing). Incompetent beds within the Austin Chalk localize fracture terminations and in some cases have caused fault (shear fracture) dip change (refraction). Our observations indicate that fracture network characteristics are related to mechanical rock properties and structural position, with fault and fracture orientations and timing relationships reflecting stress rotation and structural overprinting within the San Antonio relay ramp. These observations are directly relevant to subsurface interpretation and hydrocarbon production from the Austin Chalk, particularly for exploitation of the Austin Chalk as a self-sourced or conventional fractured reservoir.

Ed. Note: This abstract was extracted from a full paper published in the 2017 volume of the *GCAGS Journal*. The *Journal* papers are currently available in open-access format online at www.gcags.org.

Ferrill, D. A., K. J. Smart, R. N. McGinnis, A. P. Morris, and K. D. H. Gulliver, 2017, Influence of structural position on fracturing in the Austin Chalk: *Gulf Coast Association of Geological Societies Journal*, v. 6, p. 189–200.

Originally published as: Ferrill, D. A., K. J. Smart, R. N. McGinnis, A. P. Morris, and K. D. H. Gulliver, 2017, Influence of structural position on fracturing in the Austin Chalk: *Gulf Coast Association of Geological Societies Transactions*, v. 67, p. 585.